

# Notice of Allowability

Application No.

10/647,065

Examiner

Satyendra K. Singh

Applicant(s)

BRAUKER ET AL.

Art Unit

1657

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 10/25/2006.
2. ☒ The allowed claim(s) is/are 1-28.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 12/20/2006.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
SANDRA E. SAUCIER  
PRIMARY EXAMINER

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with **Rose M. Thiessen** (applicant's attorney on record) on **December 20, 2006**.

The application has been amended as follows:

#### ***Terminal Disclaimer***

The terminal disclaimer filed on October 25<sup>th</sup> 2006 disclaiming the terminal portion of any patent granted on this application, which would extend beyond the expiration date of the full statutory term of U.S. Patent No. 6,702,857 has been reviewed and is accepted. The terminal disclaimer has been recorded.

#### ***Election/Restrictions***

The requirement for the **species election** previously made by the examiner (group I, instant **claim 20**; see office action mailed on June 19<sup>th</sup> 2006) has been **withdrawn**, and all the claimed species of materials for the solid portion of the biointerface membrane (see specific recitation of the Markush group in instant claim 20) **have been rejoined** and examined for their allowability on their merits.

#### ***In the Claims***

Claims 1-28 has been allowed by this examiner's amendment.

Art Unit: 1657

Claims 1 has been amended by this examiner's amendment as follows:

1. A biointerface membrane suitable for implantation in a soft tissue of an animal, the membrane comprises:


a first domain, wherein the first domain supports tissue ingrowth and interferes with barrier cell layer formation, wherein the first domain comprises an open cell configuration having a plurality of interconnected cavities and a solid portion, and wherein a substantial number of the interconnected cavities are greater than or equal to about 90 microns in at least one dimension; and


a second domain, wherein the second domain allows passage of an analyte, and wherein the second domain is resistant to cellular attachment and is impermeable to cells and cell processes.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Satyendra K. Singh whose telephone number is 571-272-8790. The examiner can normally be reached on 9-5MF.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jon P. Weber can be reached on 571-272-0925. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

  
Satyendra K. Singh  
Patent Examiner  
Art Unit 1657

  
SANDRA E. SAUCIER  
PRIMARY EXAMINER